




# Non Potable Water Substitution and Reuse in the Field

William Fifty  
Surface Water and Wastewater  
USACHPPM

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>MAY 2009</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2009 to 00-00-2009</b>	
4. TITLE AND SUBTITLE <b>Non Potable Water Substitution and Reuse in the Field</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>U.S. Army Center for Health Promotion and Preventive Medicine,Aberdeen Proving Ground,MD,21010</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES <b>Presented at the NDIA Environment, Energy Security &amp; Sustainability (E2S2) Symposium &amp; Exhibition held 4-7 May 2009 in Denver, CO.</b>					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>19</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

# Water Cost



# Potable Water

Water that is safe to drink



# Insufficient Amount of Potable Water

- Replace potable water with non potable water in those applications that don't require potable water quality
  - Water Substitution
  - Water Reuse



# Considerations for Non Potable Water Substitution / Reuse

- Type of Source Water
- Quality of Source Water
- Application & Requirements



# Source Waters

- Local Waters
  - Local water supplies
  - Ground water
  - Surface water
- Army Generated
  - Filtered water
  - ROWPU brine
  - Gray water
  - Treated wastewater



# Source Water Quality


- What needs to be measured?
- What can be measured?
- Microbial quality
  - total coliforms, E. coli
    - IDEXX's Colilert, Quanti-Tray





# Source Water Quality (II)

- Turbidity
  - Measurement for physical quality
  - Correlates well with disinfection requirements




# Applications for Substitution and Reuse

- Divided into two broad categories
  - Unrestricted use (high quality)
    - Minimal bacterial contamination
    - Body contact allowed
      - e.g., showering
  - Restricted/industrial use (lower quality)
    - Some bacterial contamination
    - Limited body contact/public exposure
      - e.g., construction activities

# Guidelines for Water Substitution and Reuse



## Total Coliform Concentrations




# Guideline Classification

1. Ground water
2. Surface Water
  - To include filtered water and ROWPU brine
3. Treated Wastewater
  - To include gray water



# Water Substitution Guidance – Ground Water

- Ground Water
  - Extremely low turbidity and bacterial contamination
  - Can be used directly for all non potable water applications
  - Exception: ground water under the direct influence of surface water



# Surface Waters

## EPA Criteria\* for Bacteria in Recreational Fresh Water#

Indicator	Geometric Mean Density^	Single Sample Maximum
Enterococi	33	62
E. coli	126	235

\*Measured as bacterial densities (colony forming units) per 100 ml

#Based on an acceptable gastrointestinal illness rate of 8 per 1000 swimmers.

^Calculated with a minimum of five samples collected over a 30-day period.

# Water Substitution Guidance – Surface Water

- Deployment situations
  - Surface waters
    - More heavily polluted
    - Sometimes open sewers
- Guidance



Application	Action
Unrestricted Use with Body Contact	Disinfect and use
Industrial / Restricted Use	Use directly



## **TB MED 577**

<b>Water Quality</b>	<b>Acceptable Activities</b>
<b>Disinfected Fresh Water</b>	<b>Centralized hygiene such as field showers Decontamination of personnel Retrograde cargo washing Heat casualty body cooling Graves registration personnel sanitation Well development</b>
<b>Fresh Water</b>	<b>Vehicle coolant Aircraft washing Pest control Field laundry Concrete construction Well drilling</b>
<b>Brackish and Seawater</b>	<b>Vehicle washing Electrical grounding Fire fighting CBRNE decontamination of materials</b>

# Treated Wastewater

- Significant bacterial contamination
- Federal and State reuse classifications
  - Level of treatment
  - Water quality standards
  - Monitoring schedule
  - Setback distance



# Water Reuse Guidance – Treated Wastewater



- Guidance

Category	Wastewater Treatment	Turbidity (NTU)		E. coli (#/100 ml)	
		median value	single sample max	median value	single sample max
Unrestricted/ Body Contact	Tertiary	≤2	≤5	none	≤10
Restricted/ Industrial	Secondary	≤5	≤10	≤150	≤600

# Final Thought

- Goal.....

Produce comprehensive Army  
Policy for Water Substitution  
and Reuse in the Field

